

## PUBBLICAZIONI SCIENTIFICHE SU RIVISTE NAZIONALI E INTERNAZIONALI

### 1983

De Conno F., Gallucci M., Ripamonti C.: La terapia del dolore nei pazienti con tumori urologici avanzati. Archivio Italiano di Urologia e Nefrologia, vol.55, 423-428, 1983.

### 1984

De Conno F., C.H.Li, Muller E., Panerai AE, Ripamonti C.,Ventafridda V. Effects of acute intrathecal or peridural administration of human betaendorphins in cancer pain. Pain, (suppl 2): 334, 1984. **(I.F. 5.777)**

Ventafridda V., Ripamonti C., Gallucci M., De Conno F.: L'ossicodone nel trattamento antalgico oncologico. Algos 4: 70-76, 1984.

### 1985

Ventafridda V.,Saita L.,Ripamonti C., De Conno F.:WHO guidelines for the use of analgesics in cancer pain. Int.J.Tiss.Reac.,VII (1): 93-96, 1985. **(I.F. 0.514)**

Ventafridda V.,De Conno F.,Gallucci M.,Ripamonti C.: Sequele e complicanze algiche in terapia oncologica. Argomenti di Oncologia , 6:249-258, 1985.

### 1986

Ventafridda V., Ripamonti C.,Bianchi M.,Sbanotto A., De Conno F.: A randomized study on oral administration of morphine and methadone in the treatment of cancer pain. Journal of Pain and Symptom Management, 1:203-207, 1986. **(I.F. 2.503)**

De Conno F., Ripamonti C.: Esperienza clinica con la termorizotomia del ganglio di Gasser: Oris Med., 1:44-47, 1986.

### 1987

Ventafridda V., Ripamonti C.,De Conno F.,Bianchi M.,Panerai A.E.: Antidepressants increase morphine bioavailability in cancer pain. The Lancet i:1204, 1987. **(I.F. 38. 278)**

De Conno F, Saita L, Ripamonti C., Ventafridda V. Control of tenesmus by radiofrequency. Pain (Suppl. 4): 144, 1987. **(I.F.5.777)**

Ventafridda V, Saita L, Oliveri E, Ripamonti C., Caraceni A, Spoldi E, De Conno F. A randomized study on oral administration of morphine solution and slow release morphine sulphate tablets (MST) in the treatment of cancer pain. Pain (Suppl.4): 157, 1987. **(I.F. 5.777)**

Ventafridda V, Ripamonti C., Panerai AE, De Conno F., Bianchi M. Effect of tricyclic antidepressant on morphine kinetics and analgesia: an animal and clinical study. Pain (Suppl.4): 192, 1987. **(I.F. 5.249)**

Ripamonti C., De Conno F, Tamburini M, Ventafridda V.: Studio acuto su buprenorfina parenterale verso morfina parenterale. Minerva Anestesiologica vol.53, 4:135-139, 1987. **(I.F. 2.656)**

De Conno F, Ripamonti C., Tamburini M, Ventafridda V.:Buprenorfina nel dolore da cancro: confronto incrociato con la pentazocina. Minerva Medica vol.78, 15:1177-1181, 1987. **(I.F. 0.904)**

Ventafridda V., Caraceni A., Spoldi E., Ripamonti C.,Saita L., Toscani F., De Conno F.: Gli

oppioidi nel dolore oncologico secondo la proposta della Organizzazione Mondiale della Sanita'. *Algos* 4/3, 41-47, 1987.

Ventafridda V., Oliveri E., Caraceni A., Spoldi E., De Conno F., Saita L. and Ripamonti C.: A retrospective study on the use of oral morphine in cancer pain. *J Pain Sympt Manage*, 2:77-81; 1987. **(I.F. 2.503)**

Ventafridda V., Ripamonti C., Sbanotto A., De Conno F.: Role of narcotic drugs in cancer pain management. *Indian Journal of Pain*. 2:40-46, 1987.

## 1988

De Conno F., Ripamonti C., Panerai A., Bianchi M., Muller E., Ventafridda V.: Effects of spinal human beta-endorphin in cancer patients. *Medical Science Research*, 16,335-336, 1988.

Ventafridda V., Saita L., Oliveri E., Ripamonti C., Caraceni A., Spoldi E., De Conno F.: Somministrazione orale di morfina in soluzione acquosa ed in compresse a lento rilascio (MST) nel dolore da cancro. *Algos* 5:66-71, 1988.

De Conno F., Ripamonti C., Ventafridda V.: Trattamento farmacologico del dolore da cancro: gli antiinfiammatori non steroidei. *Argomenti di Oncologia*, 9:411-416, 1988.

Bianchi M., Ripamonti C., Pazzucconi F., Panerai AE.: Dissociation of the effects of acute chlormipramine on morphine analgesia and plasma concentrations. *Archives Internationales de Pharmacodynamie et de therapie*. Vol. 295: 1/2, 34-39, 1988.

De Conno F., Ripamonti C., Gallucci M., Bianchi M., Muller E., Ventafridda V.: Beta-endorfine spinali nel trattamento del dolore da cancro. *Algos* 5: 27-31, 1988.

## 1989

Di Mola G., Ripamonti C., Tamburini M., Mauri M., Ventafridda V.: La terapia del dolore da cancro. Una esperienza Italiana. *Federazione Medica XLII- 3*: 139-142, 1989.

De Conno F., Ripamonti C., Gamba A., Prada A., Ventafridda V.: Treatment of post-operative pain: Comparison between administration at fixed hours and "on demand" with intramuscular analgesics. *European Journal of Surgical Oncology*. 15: 242-246, 1989. **(I.F. 2.772)**

De Conno F., Ripamonti C., Sbanotto A., Ventafridda V.: Oral complications in patients with advanced cancer. *Journal of pain and Symptom Management* 4:20-30, 1989. **(I.F. 2.503)**

Toscani F., Camerini S., Scazzina M., Caraceni A., De Conno F., Ripamonti C., et al.: Valutazione Clinica del trazodone nel trattamento del dolore disestesico nel neoplastico avanzato. *Algos*, 6, 21-25, 1989.

Ventafridda V., De Conno F., Vigano' A., Ripamonti C., Gallucci M. and Gamba A.: Comparison of home and hospital care of advanced cancer patients. *Tumori*, 75: 619-625, 1989. **(I.F. 1.014)**

De Conno F., Ripamonti C., Fusco C., Toscani F.: Modello organizzativo di assistenza domiciliare per il malato di cancro in fase terminale. *Giornale Italiano di Terapia Antalgica*, vol.1, 32-35, 1989.

De Conno F., Ripamonti C., Sbanotto A., Ventafridda V.: Oral complications in patients with advanced cancer. *Journal of Palliative Care* 5:1, 7-15, 1989. **(I.F. 0.931)**

## 1990

Ventafridda V., De Conno F., Panerai A.E., Maresca V., Monza G.C. and Ripamonti C.: Non-steroidal anti-inflammatory drugs as the first step in cancer pain therapy: double-blind, within-patient study comparing nine drugs. *The Journal of International Medical Research*, 18:21-29, 1990. **(I.F. 0.896)**

Ventafridda V., Ripamonti C., Caraceni A., Spoldi E., Messina L., De Conno F.: The management of inoperable gastrointestinal obstruction in terminal cancer patients. *Tumori* 76:389-393, 1990. **(I.F. 1.014)**

Ventafridda V., Bianchi M., Ripamonti C., Sacerdote P., De Conno F., Zecca E., Panerai A.E.: Studies on the effects of antidepressant drugs on the antinociceptive action of morphine and on plasma morphine in rat and man. *Pain* 43: 155-162, 1990. **(I.F.5. 777)**

De Conno F., Barletta L., Milani S., Ripamonti C., Tamburini M., Ventafridda V.: Revision des resultats du traitement antalgique par la morphine orale vis-a-vis de differentes pathologies oncologiques. *Douleur et Analgesie* 3: 55-57, 1990. **(IF 0.043)**

Ripamonti C., De Conno F., Ventafridda V.: Traitement de la douleur et soins palliatifs pour les malades atteints de cancer avance. *Douleur et Analgesie* 3: 75-81, 1990. **(IF 0.043)**

Ventafridda V., Ripamonti C., De Conno F., Tamburini M., Cassileth B.: Symptom prevalence and control during cancer patients' last days of life. *Journal Palliative Care* 6:3; 7-11, 1990. **(I.F. 0.882)**

Ventafridda V., De Conno F., Ripamonti C., Gamba A., Tamburini M.: Quality of life assessment during a palliative care programme. *Annals of Oncology* 1: 415-20, 1990. **(I.F. 6.425)**

Ventafridda V., Ripamonti C., Tamburini M., Cassileth B., De Conno F.: Unendurable symptoms as prognostic indicators of impending death in terminal cancer patients. *European Journal of Cancer* 26:9; 1000-1, 1990. **(I.F. 5.536)**

Ripamonti C., De Conno F., Zilli G., Ventafridda V.: Cuidados paliativos para los pacientes oncologicos en fase terminal. *Revista Argentina de Anestesiologia* 48, 4: 211-222, 1990.

## **1991**

Breda M., Bianchi M., Ripamonti C., Zecca E., Ventafridda V., Panerai A.E: Plasma morphine and morphine 6-glucuronide patterns in cancer patients after oral, subcutaneous, sublabial and rectal short-term administration. *Int.J.Clin.Pharm Res*, XI (2): 93-97, 1991. **(I.F. 0.643)**

De Conno F, Ripamonti C., Sbanotto A, Barletta L, Zecca E, Martini C, Ventafridda V.: A clinical study on the use of codeine, oxycodone, dextropropoxiphene, buprenorphine and pentazocine in cancer pain. *Journal Pain and Symptom Management* 6: 423-427, 1991. **(I.F. 2.503)**

Ventafridda V., De Conno F., Saita L., Ripamonti C., Baronzio G.F.:Leucocytes-Lymphocytes ratio as prognostic indicator of impending death in advanced cancer patients. *Annals of Oncology*, 2: 196, 1991. **(I.F. 6.425)**

Filiberti A, Ripamonti C., Saita L, De Conno F, Maino E. Frequency of suicide by cancer patients at the National Cancer Institute of Milan over 1986-90. *Annals of Oncology* p. 610, 1991. **(I.F. 6.425)**

Ripamonti C. and Bruera E. Rectal, buccal, and sublingual narcotics for the management of cancer pain. *Journal of Palliative Care*, 7; 1: 30-35, 1991. **(I.F. 0.931)**

Panerai A.E., Bianchi M, Sacerdote P, Ripamonti C., Ventafridda V, De Conno F. Antidepressants in cancer pain. *J Palliative Care* 7 (4): 42-44, 1991. **(I.F. 0.931)**

Ripamonti C., Caraceni A., Spoldi E., De Conno F., Ventafridda V. The management of inoperable gastrointestinal obstruction in terminal cancer patients. *European J of Cancer (Suppl. 2)*: 284, 1991. **(I.F. 5.536)**

## 1992

De Conno F, Ripamonti C., Bianchi M, Ventafridda V, Panerai AE. Diclofenac does not modify morphine bioavailability in cancer patients. *Pain*, 48: 401-2, 1992. **(I.F. 5.777)**

Bruera E, Ripamonti C., Brenneis C, Macmillan K, Hanson J. A randomized double-blind cross-over trial of intravenous lidocaine in the treatment of neuropathic cancer pain. *Journal Pain Symptom Manage* 7: 138-140, 1992. **(I.F. 2.503)**

Ripamonti C., and Bruera E. Transdermal and inhalatory routes of opioid administration: the potential application in cancer pain. *Palliative Medicine* 6: 98-104, 1992. **(I.F. 2.383)**

Ripamonti C., Polastri D, Saita L. Il trattamento antalgico con oppioidi: la via rettale. *Algos* vol. 9, N. 4: 14-18, 1992.

## 1993

De Conno F, Ripamonti C., Sbanotto A, Saita L, Zecca E, Ventafridda V. The pharmacological management of cancer pain. Part I: The role of non opioid and adjuvant drugs. *Annals of Oncology* 4: 187-193, 1993. **(I.F. 6.425)**

De Conno F, Ripamonti C., Sbanotto A, Saita L, Zecca E, Ventafridda V. The pharmacological management of cancer pain. Part II: The role of opioid drugs in adults and children. *Annals of Oncology* 4: 267-276, 1993. **(I.F. 6.425)**

Ripamonti C., De Conno F, Ventafridda V, Baines M. Management of bowel obstruction in advanced and terminal cancer patients. *Annals of Oncology* 4: 15-21, 1993. **(I.F. 6.425)**

Faisinger RL., Ripamonti C., MacEachern T., Bruera E. Subcutaneous morphine for the management of dyspnea associated with advanced cancer. *European J of Cancer Vol. 29A (Suppl.6)* : 202, 1993. **(I.F. 5.536)**

Ripamonti C., Saita L., De Conno F., Ventafridda V., MacEachern T., Hanson J., Bruera E. Rectal versus oral morphine for the management of cancer pain. A double-blind, double dummy, crossover trial. *European J of Cancer Vol. 29A (Suppl.6)* : 202, 1993. **(I.F. 5.536)**

Ripamonti C., Zecca E., Saita L., Rizzio E., De Conno F., Lodi F., Ventafridda V. Pharmacokinetic and pharmacodynamic of rectal methadone in opioid-naive cancer patients with pain. *European J of Cancer Vol. 29A (Suppl.6)* : 203, 1993. **(I.F. 5.536)**

De Conno F, Ripamonti C., Sbanotto A, Barletta L. A clinical note on sublingual buprenorphine. *J Palliative Care* 9:3/44-46, 1993. **(I.F. 0.931)**

De Conno F., Saita L., Ripamonti C., Ventafridda V. On the "Last days of life". *J. Palliative Care* 9:3/47-49, 1993. **(I.F. 0.931)**

Bruera E, MacEachern T, Ripamonti C., Hanson J. Subcutaneous morphine for dyspnea in cancer patients. *Annals of Internal Medicine* 119:906-7, 1993. **(I.F. 16. 773)**

Ripamonti C. Management of bowel obstruction in patients with advanced and terminal cancer. *Topics on Supportive Care in Oncology* 9: 11-13, 1993.

Ripamonti C, Polastri D, Saita L. Il trattamento antalgico con oppioidi: la via transdermica. *Algos* vol. 10, N. 2 ; 88-91, 1993.

Ripamonti C, Polastri D, Saita L. Il trattamento antalgico con oppioidi. Le vie sublinguale, buccale, inalatoria e intranasale. *Algos* vol. 10, N. 1; 14-19, 1993.

#### **1994**

De Conno F., Saita L., Scorsetti M., Cavina C., Ripamonti C., Villa S., Gramaglia A. Topical application of prostaglandins E2 during Radiotherapy (RT) of the oral cavity: a new tool to reduce impact of acute side effects of RT. *HEAD & NECK* Vol. 16 (5): 520 september/october 1994 **(I.F. 2.403)**

De Conno F, Saita L, Ripamonti C, Ventafridda V. Subcutaneous octreotide in the treatment of pain in advanced cancer patients. *J Pain Symptom Manage* 9: 34-8, 1994. **(I.F. 2.503)**

Ripamonti C. Management of bowel obstruction in advanced cancer. *Current Opinion in Oncology* 6: 351-357, 1994. **(I.F. 4.101)**

Ripamonti C. Malignant bowel obstruction in advanced and terminal cancer patients. *European Journal of Palliative Care* 1/1: 16-19, 1994.

Ripamonti C. Obstruction intestinale maligne en phase avancee ou terminale d'une maladie cancéreuse. *European Journal of Palliative Care* 1/1: 16-19, 1994.

De Conno F, Zecca E, Martini C, Ripamonti C, Caraceni A, Saita L. Tolerability of ketorolac administered via continuous subcutaneous infusion for cancer pain: a preliminary report. *J Pain Symptom Manage* 9: 119-121, 1994. **(I.F. 2.503)**

Ripamonti C Management of bowel obstruction in advanced cancer patients. *J Pain Symptom Manage* 9: 193-200, 1994 **(I.F. 2.503)**

De Conno F., Ripamonti C, Ticozzi C. Intraspinal opioids and local anaesthetics for cancer pain. *European Journal of Palliative Care* 1 (4): 162-168, 1994.

De Conno F., Ripamonti C., Ticozzi C., Utilisation des opioïdes intrarachidiens et des anesthésiques dans les douleurs du cancer. *European Journal of Palliative Care* 1 (4): 162-168, 1994.

De Conno F, Ripamonti C. Vie di somministrazione alternative degli oppioidi. *International J Pain Therapy*, vol.4,N.3/4 :157-170,1994.

#### **1995**

De Conno F., Ripamonti C., Saita L., MacEachern T., Hanson J., Bruera E. Role of rectal route in treating cancer pain: a randomized crossover clinical trial of oral vs rectal morphine administration in opioid-naïve cancer patients with pain. *Journal of Clinical Oncology* 13:1004-1008,1995 **(I.F. 18.372)**

De Conno F., and Ripamonti C. Morfina e codeina: il tabu' degli oppioidi. *Algia* 1 (2): 3-10, 1995

Mercadante S, De Conno F, Ripamonti C. Propofol in terminal care. *J Pain Symptom Manage* 1995; 10: 639-642 **(I.F. 2.503)**

Ripamonti C, Zecca E, Brunelli C et al. Rectal methadone in cancer patients with pain. A preliminary clinical and pharmacokinetic study. *Annals of Oncology*. 1995; 6: 841-3 **(I.F. 6.425)**

De Conno F, Groff L, Zecca C, Brunelli C, Ripamonti C. Oral methadone for the treatment of cancer pain. ECCO8 The European Cancer Conference. Paris, 20 October-2 November 1995, European Journal of Cancer Vol. 31A (Suppl.5): S182 (I.F. 5.536)

## 1996

Hanks GW, De Conno F, Ripamonti C, et al. Morphine in cancer pain: modes of administration. British Medical Journal 1996; 312: 823-26 (I.F. 14.093)

Hanks GW, De Conno F, Ripamonti C, et al. Morphine et douleur du cancer: modalités d'administration. French version British Medical Journal 1996; 312: 823-26 (I.F. 14.093)

Ripamonti C, De Conno F, Blumhuber H, Ventafridda V. Morphine for relief of cancer pain. The Lancet Research letter Vol. 347: 1262-3; 1996 (I.F. 38. 278)

Ripamonti C, Gemlo B, Bozzetti F, De Conno F. Role of Enteral nutrition in advanced cancer patients: indications and contraindications of the different techniques employed. Tumori 82: 302-308; 1996 (I.F. 1.014)

Ripamonti C, Ticozzi C, Zecca E, Rodriguez C, De Conno F. Continuous subcutaneous infusion of ketorolac in cancer neuropathic pain unresponsive to opioid and adjuvant drugs. A Case report. Tumori 82: 413-415; 1996 (I.F. 1.014)

Ripamonti C, Bruera E. Pain and symptom management in Palliative Care. Cancer Control. Journal of the Moffitt Cancer Center & Research Institute at the University of South Florida. Vol. 3, N.3, 204-213; 1996

Bruera E, Fainsinger RL, Schoeller T, Ripamonti C. Rapid discontinuation of hypnotics in terminal cancer patients: a prospective study. Annals of Oncology 7: 855-856; 1996 (I.F. 6.425)

De Conno F, Groff L, Brunelli C, Zecca E, Ventafridda V, Ripamonti C. Clinical experience with oral methadone administration in the treatment of pain in 196 advanced cancer patients. Journal of Clinical Oncology 14: 2836-42, 1996 (I.F. 18.372)

Tamburini M, Brunelli C, Rosso S, Ventafridda V, De Conno F, Caraceni A, Ripamonti C, et al. Prognostic value of Quality-of-life scores in terminal cancer patients. J Pain Symptom Manage 1996; 1: :32-41 (I.F. 2.503)

## 1997

Ripamonti C, Zecca E, Bruera E. An update on the clinical use of methadone for cancer pain. Pain 70: 109-115; 1997 (I.F. 5.777)

Ripamonti C, Bruera E. Guidelines for the Drug Treatment of CNS Adverse Effects of Opioids in Cancer Patients. Guidelines for treatment. CNS DRUGS Jul: 8 (1): 21-37; 1997 (I.F. 4.795)

Ripamonti C, Bruera E. Current Status of Patient-Controlled Analgesia in cancer patients. Oncology 11(3): 373-384; 1997 (I.F. 2.614)

Ripamonti C, Bruera E. Dyspnea: Pathophysiology and Assessment. Journal of Pain and Symptom Management 13: 220-232; 1997 (I.F. 2.503)

Ripamonti C, De Conno F. Rectal Opioid Medications: our experiences. Letter to the Editor . Journal of Pain and Symptom Management 13: 250-1; 1997 (I.F. 2.503)

Ripamonti C, Polastri D, Vanegas G, De Conno F. Rotazione degli oppioidi: passaggio da morfina a metadone. Casi clinici e discussione. Quaderni di Cure Palliative 3: 202-6; 1997

Fulfaro F, Ticozzi C, Ripamonti C. Ruolo del pamidronato disodico nel trattamento delle metastasi osse. Quaderni di Cure Palliative 3: 195-201; 1997

Ripamonti C. Symptomatic treatment in patients with inoperable bowel obstruction. J Experimental & Clinical Cancer Research 16/2: 130-1; 1997 (I.F. 2.148)

Ripamonti C, Bruera E. Letters to the Editors. Reply to Morley and Makin. Pain 1997 ; 70: 114 (I.F. 5.777)

De Conno F, Ripamonti C. Terapia antalgica nel dolore oncologico. Algia 1997; 3(1): 7-13

De Conno F, Zecca E, Ripamonti C. Indicazioni sull'uso del metadone cloridrato nel trattamento del dolore da cancro. Argomenti di Oncologia 1997; 18 (1): 25-33

## 1998

Ripamonti C, Groff L, Brunelli C, Stavrakis A, De Conno F. Switching from morphine to oral methadone in treating cancer pain. What is the equianalgesic dose ratio? Journal of Clinical Oncology 1998; 16: 3216-21 (I.F. 18.372)

Ripamonti C, Zecca E, Brunelli C, et al. A randomized, controlled clinical trial to evaluate the effects of zinc sulfate on cancer patients with taste alterations caused by head and neck irradiation. Cancer 1998; 82: 1938-45 (I.F. 4.771)

Ripamonti C, De Conno F, Groff L, et al. Equianalgesic dose/ratio between methadone and other opioid agonists in cancer pain: comparison of two clinical experiences. Annals of Oncology 1998; 9: 79-83 (I.F. 6.425)

Twycross R, Back I, Ripamonti C, et al. Nausea and vomiting in advanced cancer. European Journal of Palliative Care 1998; 5/2:39-45

Ripamonti C, De Conno F, Boffi R, Ascani L, Bianchi M. Can somatostatin be administered in association with morphine in advanced cancer patients with pain? Annals of Oncology 1998; 9: 921-4 (I.F. 6.425)

Ripamonti C, Fulfaro F, Polastri D, et al. Pain relief and sclerosis of bone metastases in a patient with breast cancer treated with tamoxifen, radiotherapy and Pamidronate Disodium: which treatment helped? Journal of Pain and Symptom Manage 1998; 16/2: 73-76 (I.F. 2.503)

Ripamonti C, Zecca E, De Conno F. Pharmacological treatment of cancer pain: alternative routes of opioid administration. Tumori 1998; 84: 289-300 (I.F. 1.014)

Ripamonti C, Fulfaro F, Bruera E. Dyspnea in patients with advanced cancer: incidence, causes and treatments. Cancer Treatment Reviews 1998; 24: 69-80 (I.F. 6.054)

Vanegas G, Ripamonti C, Sbanotto A, De Conno F. Side effects of morphine administration in cancer patients. Cancer Nursing 1998; 21/4: 289-297 (I.F. 1.792)

Ripamonti C, Fulfaro F. Ruolo dello zinco nel trattamento delle alterazioni gustative. Quaderni di Cure Palliative 1998; 6/3 : 175-179

Fulfaro F, Quagliuolo V, De Conno F, Ripamonti C. Carcinoid somatostatinoma of the duodenum. European Journal Surgical Oncology 1998; 24: 601-4 (I.F. 2.772)

Ripamonti C, Fulfaro F, Casuccio A, Ticozzi C, De Conno F. Role of pamidronate disodium in the treatment of metastatic bone disease. Tumori 1998; 84: 442-455 (I.F. 1.014)

Ripamonti C, Fulfaro F. Taste alterations in cancer patients. Journal of Pain and Symptom Manage 1998 ; 16/6: 349-51 (I.F. 2.503)

Fulfaro F, Casuccio A, Ticozzi C, Ripamonti C. The role of bisphosphonates in the treatment of painful metastatic bone disease. A review of phase III trials. Pain 1998 ; 78: 157-169 (I.F.5.777)

Ripamonti C, Votta A, Fulfaro F. Patient controlled analgesia (PCA). Analgesia controllata dal paziente. Revisione della letteratura. Quaderni di Cure Palliative 1998; 6/3:: 225-235

Ripamonti C. Head and neck cancer and zinc. Clinical Pearls 1998 with the Experts speak. Clinical Pearl News 1998

## 1999

Ripamonti C, Filiberti A, Totis A, De Conno F, Tamburini M. Suicide among terminal cancer patients cared for at home by palliative -care teams. The Lancet (research letter): 1999; 354: 1877-78 (I.F. 38.278)

Bianchi M, Clavenna A, Groff L, Zecca E, Ripamonti C. Diclofenac does not modify methadone bioavailability in cancer patients. Journal of Pain and Symptom Manage 1999; 17/4: 227-229 (I.F. 2.503)

Ticozzi C, Fulfaro F, Ripamonti C. Ruolo del pamidronato disodico nel trattamento delle metastasi ossee: revisione aggiornata della letteratura. Rivista Italiana di Cure Palliative 1999; 1/4: 225-9

Ripamonti C. Management of dyspnea in advanced cancer patients. Supportive Care Cancer 1999; 7: 233-43 (I.F. 2.497)

Ripamonti C. Acquisizioni clinico scientifiche sul ruolo del metadone nel trattamento del dolore da cancro. Rivista Italiana di Cure Palliative 1999; 1/2: 101-4

Fulfaro F, Ripamonti C. Cause e meccanismi del dolore toracico: dolori della parete toracica, dolori mediastinici, dolori diaframmatici, plessopatia brachiale. Quaderni di Cure Palliative 1999; 7/4: 253-261

Ripamonti C. Sui sintomi gastrointestinali nei pazienti con cancro avanzato. Editoriale. Quaderni di Cure Palliative 1999 ; 7/4: 215-223

Ripamonti C. Palliative care assessment should be focused on dyspnea as a subjective symptom. Opinions on Topics in Supportive Care in Oncology. 1999; N° 33: 13-14

Ripamonti C, Viggiano V. Patient Controlled Analgesia. The Journal of the American International Health Council 1999; 2/3 July: 144-6

Ripamonti C, Groff L. Equianalgesia between morphine and methadone in treating cancer pain. The Journal of the American International Health Council 1999; 2/3 July: 148-9

## 2000

Ripamonti C, Mercadante S, Groff L, Zecca E, De Conno F, Casuccio A. Role of octreotide, scopolamine butylbromide and hydration in symptom control of patients with inoperable bowel



obstruction having a nasogastric tube. A prospective randomized clinical trial. *Journal of Pain and Symptom Manage* 2000; 19: 23-34 **(I.F. 2.503)**

Mercadante S, Ripamonti C, Casuccio A, Zecca E, Groff L. Comparison of octreotide and hyoscine butylbromide in controlling gastrointestinal symptoms due to malignant inoperable bowel obstruction. *Supportive Care in Cancer* 2000, 8: 188-191 **(I.F. 2.597)**

Ripamonti C, Fulfaro F. Malignant bone pain: Pathophysiology and treatment. *Current Review of Pain* (Ed; Dr. Oscar de Leon-Casasola.) 2000; 3: 187-196

Zecca E, Ripamonti C, Groff L, et al. Un nuovo schema di infusione del pamidronato in pazienti con metastasi ossee dolorose. *Rivista Italiana di Cure Palliative* 2000; 2/4: 213-8

Ripamonti C. Topics in Palliative Care. Review Book. *Annals of Oncology* . July 2000; 11: 902 **(I.F. 6.425)**

Ripamonti C, Zecca E, Groff L, .....De Conno F. Pain experienced by patients hospitalized at the National Cancer Institute of Milan . Research Project “Towards a pain-free hospital. *Tumori* 2000; 86: 412-8 **(I.F. 1.014)**

Bruera E, Ripamonti C, Beattie-Palmer L. Use of Trade Name of Drugs in the Abstract Book of Medical Congresses. *New England Journal Medicine* 343/11: 818, 2000 **(I.F. 53. 298)**

## **2001**

Ripamonti C, Dickerson D. Strategies for the treatment of cancer pain in the new millennium. *Drugs* 2001; 61/7: 955-77 **(I.F. 4.226)**

Cherny N, Ripamonti C, Pereira J, et al. Strategies to manage the adverse effects of oral morphine. An evidence-based report. *J Clin Oncol* 2001; 19: 2542-54 **(I.F. 18.372)**

Hanks GW, De Conno F, Ripamonti C, et al. Morphine and alternative opioids in cancer pain: clinical recommendations. Expert Working group of the Research Network of the European Association for Palliative Care. *British J of Cancer* 2001; 84/5: 587-93 **(I.F. 5.042)**

Hanks GW, De Conno F, Ripamonti C, et al. La morphine et les autres opioïdes dans le traitement de la douleur due au cancer (TRADUCTION FRANCAISE) . Expert Working group of the Research Network of the European Association for Palliative Care. *British J of Cancer* 2001; 84/5: 587-93 **(I.F. 5.042)**

Ripamonti C, Twycross R, et al. (Working group of the European Association for Palliative Care). Clinical practice recommendations for the management of bowel obstruction in patients with end-stage cancer. *Supportive Care in Cancer* 2001; 9: 223-233 **(I.F. 2.597)**

Groff L, Zecca E, et al. Ripamonti C. The role of disodium pamidronate in the management of bone pain due to malignancy. *Palliative Medicine* 2001; 15: 297-307 **(I.F. 2.383)**

Filiberti A, Ripamonti C, Totis A, Ventafridda V, De Conno F, Contiero P, Tamburini M. Characteristics of terminal cancer patients who committed suicide during a home palliative care programme. *J Pain Symptom Manage* 2001; 22: 544-553 **(I.F. 2.503)**

Ripamonti C, Panzeri C, Groff L, Galeazzi G, Boffi R. The role of somatostatin and octreotide in bowel obstruction. Pre-clinical and clinical results. *Tumori* 2001; 87: 1-9 **(I.F. 1.014)**

Mercadante S, Casuccio A, Groff L, Boffi R, Villari P, Gebbia V, Ripamonti C. Switching from morphine to methadone to improve analgesia and tolerability in cancer patients. A prospective study. *J Clinical Oncology* 2001; Jun 1; 19/11: 2898-904 **(I.F. 18.372)**

De Conno F, Ripamonti C, Caraceni A, Saita L. Palliative Care at the National Cancer Institute of Milan. *Supportive Care in Cancer* 2001; 9: 141-7 **(I.F. 2.597)**

Totis A, Filiberti A, Ripamonti C. Frequenza di suicidio in pazienti assistiti a domicilio da UCP in Lombardia. *Rivista Italiana di Cure Palliative* 2001; 3/1: 19-23

Stiefel F, Die Trill M, Berney A, Nunuz Olarte JM, Razavi D, and the Members of the Steering Committee of the Research Network of the EAPC (Ripamonti C et al.). Depression in palliative care: a pragmatic report from the Expert Working Group of the EAPC. *Supportive Care Cancer* 2001; 9: 477-88 **(I.F. 2.597)**

Ripamonti C, Fulfaro F. Pathogenesis and pharmacological treatment of bone pain in skeletal metastases. *Q J Nucl Med* 2001; 45: 65-77 **(I.F. 2.256)**

## **2002**

Mercadante S, Radbruch L, Caraceni A, Cherny N, Kaasa S, Nauck F, Ripamonti C, De Conno F. Episodic (Breakthrough) pain. Consensus Conference of an Expert Working Group of the European Association for Palliative Care. *Cancer* 2002; 94: 832-9 **(I.F. 4.771)**

Ripamonti C, Fusco F. Respiratory problems in advanced cancer. *Support Care Cancer*. 2002 Apr;10(3):204-16. **(I.F. 2.597)**

Caraceni A, Cherny N, Fainsinger R, et al. and the Steering Committee of the EAPC Research Network (Ripamonti et al.) Pain measurement tools and methods in clinical research in Palliative Care: recommendations of an expert working group of the European Association of Palliative Care. *J Pain Symptom Management* 2002; 23: 239-55 **(I.F. 2.503)**

Filiberti A, Ripamonti C. Suicide and suicidal thoughts in cancer patients. *Tumori* 2002; 88: 193-199 **(I.F. 1.014)**

Ripamonti C, Bruera E. Use of trade names of drugs and the scientific content of medical congresses. *J Clin Oncol* 2002; 20: 1707-8 **(I.F. 18.372)**

Ripamonti C, Bianchi M. The use of methadone for cancer pain. *Hematology/Oncology Clinics of North America*. 2002; 16: 543-555 **(I.F. 2.637)**

Martinetti A, Seregini E, Ripamonti C, et al. Serum levels of tartrate-resistant acid phosphatase-5b in breast cancer patients treated with pamidronate. *The International Journal of Biological Markers* 2002; 17/4: 253-8 **(I.F. 1.479)**

Ripamonti C, Bruera E. Palliative Management of Malignant bowel obstruction. *Int J Gynecol Cancer* 2002; 12: 135-143 **(I.F. 1.646)**

Ripamonti C. Il trattamento palliativo dell'ostruzione intestinale maligna (OIM). *Selezione di Clinica e Terapia SELECT* Aprile 2002

## **2003**

De Conno F, Panzeri C, Saita L, Brunelli C, Ripamonti C. Palliative Care in a National Cancer Center: results in 1987 versus 1993 versus 2000. *J Pain Symptom Management* 2003; 25: 499-511 **(I.F. 2.503)**

Morch MM, Neueschwander H, Bruera E, Ripamonti C, Nunez-Olarte JM, Maltoni M, Nauck F, Mazzocato C, Mercadante S. From Roots to flowers: challenges of developing a sustainable Palliative Care Program. *Journal of Palliative Care* 2003; 19/1: 58-62 **(I.F. 0.931)**

Ripamonti C, Brunelli C. Randomized Clinical Trial of an Implantable Drug Delivery System compared with comprehensive Medical management for refractory cancer pain: impact on Pain, Drug-Related Toxicity, and survival. *J Clin Oncol* 2003; 21/14 (July 15): 2801-2 **(I.F. 18.372)**

Bruera E, Sweeney C, Willey J, Palmer Lynn J, Tolley S, Rosales M, Ripamonti C. Breast cancer patient perception of the helpfulness of a prompt sheet versus a general information sheet during outpatient consultation: a randomized, controlled trial. *J Pain Symptom Manage* 2003; 25/5: 412-9 **(I.F. 2.503)**

Ripamonti C. Aclarando mitos en el tratamiento de la disnea en cuidados paliativos. *Medicina Paliativa* 2003; 10: (suppl. 1) 21-6

## 2004

Ripamonti C, Bianchi M, Bruera E. Methadone: an orphan drug? *J of Palliative Medicine* 7/1 February 2004: 73-4 **(IF 1.849)**

Campa T, Fagnoni E, Ripamonti C. Palliative surgery of acrometastases from lung cancer: A case report. *Supportive Care in Cancer* 2004; 12: 202-4 **(I.F. 2.597)**

Ripamonti C, Campa T, De Conno F. Withdrawal Symptoms During Chronic Transdermal Fentanyl Administration Managed with Oral Methadone. *J Pain Symptom Management* 2004; 27/3: 191-194 **(I.F. 2.309)**

Ripamonti C, Fagnoni E, De Conno F. Withdrawal syndrome after delayed tramadol intake. *American Journal of Psychiatry* 2004; 161:2326-2327 **(I.F. 12.539)**

Ripamonti C, Mercadante S. How to use octreotide for bowel obstruction. *The Journal of Supportive Oncology* 2004; 2/4: 357-364

Paolo G. Casali, Antonella Messina, Silvia Stacchiotti, Elena Tamborini, Flavio Crippa, Alessandro Gronchi, Rosaria Orlandi, Carla Ripamonti, et al. Imatinib mesylate in chordoma. *Cancer* 2004; 101: 2086-97 **(I.F. 4.771)**

Ripamonti C, Longo M. Cancer pain syndromes and pharmacotherapy of cancer pain. *Arch Oncol* 2004; 12/3: 168-70

Ripamonti C. Dolore: riflessioni su Gesù' flagellato. *Rivista Italiana di Cure Palliative* 2004; 6/2: 127-128

## 2005

Hanks GW, De Conno F, Cherny N, et al. Ripamonti C et al. La morfina e gli oppioidi alternativi nel dolore oncologico: le raccomandazioni dell'EAPC. *Rivista Italiana di Cure Palliative* 2005

Ripamonti C, Fagnoni E, Magni A. Management of symptoms due to inoperable bowel obstruction. *Tumori* 2005; 91: 233-6 **(I.F. 1.014)**

De Conno F, Ripamonti C, Brunelli C. Opioid purchases and expenditure in nine western European countries. "Are we killing off morphine?". *Palliative Medicine* 2005; 19/3: 179-184 **(I.F. 2.383)**

Mercadante S, Arcuri E, Campa T, Fusco F, Villari P, Ripamonti C. Randomized double-blind, double-dummy crossover clinical trial of oral tramadol versus rectal tramadol in opioid-naïve cancer patient with pain. *Supportive Care in Cancer* 2005; 13: 702-7 **(I.F. 2.597)**

Maltoni M, Caraceni A, Brunelli C, et al. and Ripamonti C (Steering Committee of the Research Network of the EAPC). Prognostic factors in advanced cancer patients: evidence-based clinical recommendations. *J Clinical Oncology* 2005; 23: 6240-8 (**I.F. 18.372**)

Klepstad P, Kaasa S, Cherny N, Hanks G, De Conno F, and Ripamonti C et al. Pain and pain treatments in European palliative care units. A cross sectional survey from the European Association for Palliative Care Research Network. *Palliative Medicine* 2005; 19: 477-484 (**I.F. 2.383**)

Ripamonti C, Fagnoni E, Giardina V. Terapia del dolore: le vie del controllo. Il tumore al seno. *Ricerca Roche*, trimestrale di aggiornamento 48 Agosto 2005

Ripamonti C, Grosso M.I. Palliative medical management of malignant bowel obstruction. Educational book. *European J Cancer Supplements* 2005; Vol3 N°3 : 203-219 (**I.F. 5.536**)

## 2006

Moro C, Brunelli C, Miccinesi G, Fallai M, Morino P, Piazza M, Labianca R, Ripamonti C. Edmonton Symptom Assessment Scale (ESAS): Italian validation in two palliative care settings. *Supportive Care Cancer* 2006; 14: 30-7 (**I.F. 2.597**)

Ripamonti C, Fagnoni E, Campa T, Brunelli C, De Conno F. Is the use of transdermal fentanyl inappropriate according to the W.H.O. guidelines and the EAPC recommendations? A study of cancer patients in Italy. *Supportive Care in Cancer* 2006; 14/5: 400-7 (**I.F. 2.597**)

Bandieri E, Formoso G, Magrini N, Magnano L, Maltoni S, Marata AM, Ripamonti C. Morfina orale e altri oppioidi nel dolore oncologico. Terapie consolidate negli adulti e novità. **Pacchetto informativo sui farmaci N.2- Ottobre 2006. Periodico di Informazione Medica dell'Azienda USL di Modena. CeVEAS- Centro per la valutazione dell'efficacia dell'Assistenza Sanitaria.** Modena

Ripamonti C e Costantino M. Sofferenza e terapie palliative nei pazienti oncologici: un'indagine sugli interventi negli ultimi mesi di vita. In *Il sole 24 ore Sanita'*. Novembre 2006

## 2007

Ripamonti C, Fagnoni F, Campa T, Seregini E, Maccauro M, Bombardieri E. Incident pain and analgesic consumption decrease following Samarium infusion. A pilot study. *Supportive Care in Cancer* 2007; 15: 339-42 (**I.F. 2.597**)

Martinetti A, Ripamonti C, Miceli R, Seregini E, Mariani L, De Conno F, Bajetta E, Bombardieri E. Short-term effects of pamidronate on bone turnover: can bone markers be considered predictive of the analgesic response? *Oncology Reports* 2007 Jun 17/6: 1533-40 (**I.F. 1.835**)

Carla Ripamonti, M.D., Elena Fagnoni, M.D. Tiziana Campa, M.D., Vincenzo Giardina, M.D., Cinzia Brunelli, ScD, Alessandra Pigni, M.D., Franco De Conno M.D. Decreases in pain at rest and movement-related pain during zoledronic acid treatment in patients with bone metastases due to breast or prostate cancer. *Supportive Care in Cancer* 2007; 15: 1177-84 (**I.F. 2.597**)

Body JJ, Coleman R, Clezardin P, Ripamonti C, Rizzoli R, Aapro M. International society of geriatric oncology (SIOG) clinical practice recommendations for the use of bisphosphonates in elderly patients. *European J of Cancer* 2007; 43(5): 852-8 (**IF 5.536**)

Ripamonti C. La rotazione degli oppioidi. *Minerva Anestesiologica* 2007 vol. 73 Suppl. 1/10; 357-8 (**IF 2.656**)

Ripamonti C. Razionale d'uso degli oppioidi: aspetti clinici. *Farmaci & Terapia. International Journal on drugs and Therapy*. Vol. XXIV Suppl. 1 pag 49, 2007

## 2008

Radbruch L, Strasser F, Elsner F, Goncalves JF, Loge J, Kaasa S, Nauck F, Stone P. et al. (Ripamonti C). Research Steering Committee of the European Association for Palliative Care (EAPC). Fatigue in palliative care patients- an EAPC approach. *Palliative Medicine* 2008; 22/1: 13-32 (**I.F. 2.383**)

De Conno F, Ripamonti C et al. The MERITO Study: A multicenter trial of the analgesic effect and tolerability of normal-release oral morphine during 'titration phase' in patients with cancer pain. *Palliative Medicine* 2008; 22: 214-221 (**IF 2.383**)

Ripamonti C, Easson A, Gerdes H. Management of Malignant Bowel obstruction. *European Journal of Cancer Special Issue on Palliative Care*. 2008; 44: 1105-15 (**IF 5.536**)

Ripamonti C. Malignant bowel tailoring treatment to individual patients. Peer view point. *The Journal of Supportive Oncology* 2008, 6: 114-115

Larkin P, Sykes N, Ellershaw J, F, Elsner F, Eugene B, Ripamonti C, et al. The management of constipation in palliative care: Clinical practice recommendations. The European Consensus Group on Constipation in Palliative Care. *Palliative Medicine* 2008; 22: 796-807 (**IF 2.383**)

Ripamonti C, Campa T, Pigni A. Terapia del dolore nel carcinoma della prostata. *L'Urologo Informer* 2008; 25: 8-11

Bandieri E, Ripamonti C, Formoso G, Magnano L, Magrini N, Marata AM. Morfina orale e altri oppioidi nel dolore oncologico. Terapie consolidate negli adulti e novità. **Pacchetto informativo di integrazione sui farmaci N.3- di integrazione del N.2/Ottobre 2006. Periodico di Informazione Medica dell'Azienda USL di Modena. CeVEAS- Centro per la valutazione dell'efficacia dell'Assistenza Sanitaria**. Modena. 3 Dicembre 2008

## 2009

C. Ripamonti, M. Maniezzo, T. Campa, E. Fagnoni, C. Brunelli, G. Saibene, C. Bareggi, L. Ascani, E. Cislighi. Decreased occurrence of osteonecrosis of the jaws (ONJs) after implementation of dental preventive measure in solid tumours treated with bisphosphonates. The experience of the National Cancer Institute of Milan, Italy. *Annals of Oncology* 2009; 20: 137-145 (**IF 6.425**)

Costantini M, Ripamonti C, Beccaro M, Montella M, Borgia P, Miccinesi G. Prevalence, distress, management and relief of pain during the last three months of cancer patients' life. Results of an Italian mortality follow-back survey. *Annals of Oncology* 2009; 20: 729-735 (**IF 6.425**)

Ripamonti C, Campa T, Fagnoni E, Brunelli C, Luzzani M, Maltoni M, De Conno F. Normal release oral morphine starting dose in cancer patients with pain. *Clinical Journal of Pain* 2009; 25: 386-390 (**IF 2.813**)

Ripamonti C, Bandieri E. Cancer pain. *Critical Reviews in Oncology and Hematology*. 2009; 70: 145-149 (**IF 4.632**)

Ripamonti C, Farina G, Garassino M. Predictive models in Palliative Care. *Cancer* 2009; 115 (13 Suppl) : 3128-34 (**IF 4.771**)

E Bandieri, A Chirarolanza, M Luppi, N Magrini, AM Marata, C Ripamonti. Prescription of opioids in Italy: everything but the morphine. *Annals of Oncology (letters to the editor)* 2009; 20: 961-2 (**IF 6.425**)

Ripamonti C, Brunelli C. Comparison between numerical rating scale and six-level verbal rating scale in cancer patients with pain. Preliminary report. *Supportive Care in Cancer* 2009; 17/11:1433-34 (**IF 2.597**)

Sichetti D, Di Biagio K, Anino N, Butta' R, Venturi C, Bandieri E, Ripamonti C, Tognoni G, Romero M per il gruppo di lavoro ECAD. Il Modello di sorveglianza ECAD\_O- Epidemiologia Clinico-Assistenziale del Dolore in Ospedale: il contributo degli infermieri. *Assistenza infermieristica e ricerca* 2009; 28/2: 73-81 [**IF 0,135**]

Laugsand EA, Kaasa S, De Conno F, Hanks G, Klepstad P, Caraceni A, Ripamonti C, for the Research Steering Committee of the EAPC: Intensità and treatment of symptoms in 3,030 palliative care patients: a cross-sectional survey of the EAPC Research Network. *J Opioid Manage* 2009; 5: 11-21

## 2010

Morselli M, Bandieri E, Zanin R,.....Ripamonti C, Bruera E, Torelli G, Luppi M. Pain and emotional distress in leukemia patients at diagnosis. *Leukemia Research* 2010 Feb;34(2):e67-8. Epub 2009 Sep 4. (I.F. 2.923)

Cherny NI, Baselga J, De Conno F, Radrbruch L et al. ....Ripamonti C. Formulary availability and regulatory barriers to accessibility of opioids for cancer pain in Europe: a report from the ESMO/EAPC Opioid policy initiative. *Annals of Oncology* 2010;21: 615-26 (I.F. 6.425)

Daniela Sichetti, Elena Bandieri, Marilena Romero, Katuscia Di Biagio, Mario Lupi, Maurizio Belfiglio, Gianni Tognoni, Carla Ripamonti for ECAD Working Group (file: ECAD working group .doc). Impact of setting of care on pain management in patients with cancer: a multicentre cross-sectional study. *Annals of Oncology* 2010; 21: 2088-93 (I.F. 6.425)

Ripamonti CI, Piccinelli C, Pessi MA, Clerici CA. Modern computer technologies facilitate communication with a young cancer patient. *Tumori* 2010; 96: 609-612 (I.F. 1.014)

Bandieri E, Sichetti D, Luppi M, Di Biagio K, Ripamonti C, Tognoni G, Belfiglio M, Romero M. Is pain in haematological malignancies under-recognised? The results from Italian ECAD-O survey. *Leukemia Research* 2010;34: e334-e335 (I.F. 2.923)

Ripamonti C, Borreani C, Maruelli A, Proserpio T, Pessi MA, Miccinesi G. System of belief inventory (SBI-15R): a validation study in Italian cancer patients on oncological, rehabilitation, psychological and supportive care settings. *Tumori* 2010; 96: 1016-21 (I.F. 1.014 )

## 2011

Cherny N.I., Ripamonti C., and on behalf of the Palliative Care Working Group: of the European Society for Medical Oncology.: Factors influencing the attitudes and behaviors of oncologists regarding the truthful disclosure of information to patients with advanced and incurable cancer. *Psycooncology* 2011; 20: 1269-1284 [IF 3.339]

Ripamonti C., Bandieri E., Roila F., on behalf of the ESMO Guidelines Working Group: Management of cancer pain: ESMO Clinical Practice Guidelines. *Ann Oncol* 2011; 22 (Suppl 6):: 69-77 [IF 6,425]

Ripamonti C., Cislighi E., Mariani L., Maniezzo M.: Efficacy and safety of medical ozone (O<sub>3</sub>) delivered in oil suspension applications for the treatment of osteonecrosis in patients with bone metastases treated with bisphosphonates: Preliminary results of a phase I-II study. *Oral Oncol* 2011; 47: 185-190 [IF 2,857]

Ripamonti C., Valle A., Acerbis F., Pessi M.A., Prandi C.: [Project "Hospital without pain": analysis of the Italian situation before the law 38]. *Assist Inferm Ric* 2011; 30: 95-99 [IF 0,355]

Ripamonti CI, Bandieri E. Il secondo gradino nella terapia del dolore da cancro: dalla ricerca alla pratica clinica. CASCO (Current Advances in Supportive Care in Oncology 2011; vol. 1/2 : 62-63, ottobre –dicembre

## 2012

Expert panel (Ripamonti Carla). WHO guidelines on the pharmacological treatment of persisting pain in children with medical illnesses. WHO Organization 2012

Miccinesi G, Proserpio T, Pessi MA, Maruelli A , Bonacchi A, Borreani C, Ripamonti CI. Is the spiritual life of cancer patients a resource to be taken into account by professional caregivers from the time of diagnosis? Tumori 2012; 98:158-161 (I.F. 1.014 )

Ripamonti C, Maniezzo M, Pessi M.A., Cislighi E, Boldini S. Treatment of osteonecrosis of the jaw (ONJ) by medical ozone gas insufflation. A case report. Tumori in press on line 2012 Vol 98 n. 3 May-June e 72 (I.F. 1.014 )

C. Brunelli, E. Bianchi, P. Monformoso, L. Murru, M. Bosisio, L. Gangeri, G. Miccinesi, S. Scignaro, C. Ripamonti and C. Borreani. Italian validation of the Purpose In Life Test (PIL) and the Seeking Of Noetic Goals Test (SONG) in a population of cancer patients. Supportive Care in Cancer 2012; 20: 2775-2783 (I.F. 2.597)

Vignaroli E, Bennett MI, Nikolaichuk C, De Lima L, Wenk R, Ripamonti C, Bruera E. Strategic pain management: the identification and development of the International Association for Hospice and Palliative Care (IAHPC) Opioid Essential prescription package. J Palliative Medicine 2012; Vol 15/2 : 186-191 (IF 1.849)

Ripamonti C, Pessi MA, Boldini S. Supportive Care in Cancer Unit (SCCU) at the NCI of Milan: a New Integrated Model of Medicine in Oncology. Current Opinion in Oncology 2012 ; 24: 391-6 ( I.F. 4.101 )

Ripamonti CI. Early Supportive Care for Lung Cancer Patients. Abstract of the 13<sup>th</sup> Central European Lung Cancer Conference June 24-27 , 2012 Prague. Lung Cancer 2012; 77: S18 (I.F. 3.434)

Ripamonti CI, Buonaccorso L, Maruelli A, Bandieri E, Boldini S, Pessi MA, Chiesi F, Miccinesi G. Hope Herth Index (HHI): the validation study in italian patients with solid and haematological malignancies on active oncological therapies. Tumori 2012; 98: 385-392 (I.F. 1.014 )

Ripamonti CI. Pain Management. Annals of Oncology 2012, 23(Supplement 10): 294-30 (I.F. 6.425)

Ripamonti CI, Santini D, Maranzano E, Berti M and Roila F. Management of cancer pain: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Ann Oncol 2012; 23(Suppl. 7): vii139–vii154. (I.F. 6.425)

Ripamonti CI, Buonaccorso L, Maruelli A, Bandieri E, Pessi MA, Boldini S, Primi C , Miccinesi G. Patient Dignity Inventory (PDI) questionnaire: the validation study in Italian patients with solid and haematological cancers on active oncological treatments. Tumori 2012;98(4):491-500 (I.F. 1.014 )

Carla Ripamonti, Massimo Maniezzo, Maria Adelaide Pessi, Enrico Cislighi, Luigi Mariani, Boldini Stefania. Efficacy and tolerability of medical ozone (O3) gas insufflations in patients with osteonecrosis of the jaw treated with bisphosphonates. Preliminary data. Medical ozone gas insufflation in treating ONJ lesions Journal of Bone Oncology 2012;1: 81-87

**2013**

Santini D, Lanzetta G, Dell'Aquila E, Vincenti B, Venditti O, Russano M, Papapietro N, Denaro V, Tonini G & Ripamonti C. 'Old' and 'new' drugs for the treatment of cancer pain Expert Opin. Pharmacother. (2013) 14(4):425-433 (P.I. 3. 205)

Amadori D, Aglietta M, Alessi B, Gianni L, Ibrahim T, Farina G, Gaion F, Bertoldo F, Santini D, Rondena R, Bogani R, Ripamonti C. Efficacy and safety of 12-wkly versus 4-weekly zoledronic acid for prolonged treatment of patients with bone metastases from breast cancer ( ZOOM): a phase 3, open-label, randomised, non-inferiority trial Lancet Oncology 2013 in press published on line May 16, 2013 [http://dx.doi.org/10.1016/S1470-2045\(13\)70174-8](http://dx.doi.org/10.1016/S1470-2045(13)70174-8) (I.F. 25.117)

Lois M. Ramondetta, Antonella Surbone, Ian Olver, Carla Ripamonti, Charlotte Sun, Tatsuya Konishi, Lea Baider, Judith Johnson. Surprising results regarding MASCC members' beliefs about spiritual care. Supportive Care in Cancer DOI 10.1007/s00520-013-1863-y (I.F. 2.597)

Ripamonti C., Trippa F, Barone G, Maranzano E. Prevention and treatment of bone metastases in breast cancer. Journal of Clinical Medicine 2013 in press

Cleary J, Ddungu H, Distelhorst SR, Bushnaq MA, Clegg-Lampsey, Connor SR, Ripamonti C. et al. Supportive Care for metastatic breast cancer: site specific and palliative care resource allocations in LMCs. Breast 2013 in press

Carla Ida Ripamonti, Daniela AP Sichetti, Caterina Fanizza, Gianni Tognoni, Marilena Romero on the behalf of ECAD\_O Working Group. Pain management in hospital setting: elderly vs younger patients. A multicentre cross sectional study Expert Opin. Pharmacother. 2013 in press

Alice Maruelli' Carla Ripamonti, Elena Bandieri, Stefania Boldini, Maria Adelaide Pessi' Loredana Buonaccorso . About Sexuality of 194 Non Metastatic Cancer Patients on Cure Or Follow-Up. Tumori Submitted for publication 2013

Scignaro M., Bianchi E., Brunelli C , Miccinesi G, Ripamonti C., Magrin M.E., Borreani C. Seeking and experiencing meaning: exploring the role of meaning in promoting mental adjustment and eudaimonic well-being in cancer patients. Submitted for publication to Journal of Psychosocial Oncology. 2013

Ripamonti C., Bandieri E, Pessi MA, Maruelli A, Buonaccorso L, Miccinesi G. The Edmonton Symptom Assessment System (ESAS) as a screening Tool for Depression and Anxiety in non-advanced patients with solid or haematological malignancies on cure or follow-up. Supportive Care in Cancer 2013 submitted for publication

## **RICERCHE E PUBBLICAZIONI DI NOTEVOLE IMPATTO SULLA COMUNITA' SCIENTIFICA CHE HANNO MODIFICATO LA PRATICA CLINICA**

### ***Studi sulla Morfina***

Nel 1982 Iniziano gli studi sulla farmacologia della morfina orale per il trattamento del dolore da cancro. La tesi di Laurea della candidata (Studio delle concentrazioni plasmatiche di morfina e beta-endorfina in pazienti con dolori da cancro trattati con morfina per via orale), pubblicata su *Advances in Pain Research and Therapy 1986*, è stata, insieme alla pubblicazione di altri due autori internazionali di quegli anni (Sawe e Paalzow), tra i primi documenti che confermavano che la morfina orale a breve rilascio, veniva assorbita, che la concentrazione plasmatica e la analgesia non erano correlate e che la emivita era di circa 4 ore. Questi risultati rimangono i dati farmacologici di riferimento internazionale per quanto riguarda la morfina orale, considerata il Golden Standard



per gli studi di confronto con altri oppioidi e farmaco oppioide essenziale secondo l'Organizzazione Mondiale della Sanità (OMS). Questi dati hanno aperto la strada anche al concetto di titolazione farmacologia con la morfina orale a breve rilascio, raccomandata dalle Linee guida internazionali come pratica clinica da adottare per il trattamento del dolore da cancro. Nel 2008, con lo studio MERITO ( *De Conno F, Ripamonti C et al. Palliative Medicine 2008; 22: 214-21*) abbiamo dimostrato la validità della raccomandazione enunciata nelle suddette Linee guida. In un successivo lavoro, ( *Ripamonti C, et al. The Clinical J of Pain 2008 in press*) abbiamo verificato anche la validità della raccomandazione circa la dose iniziale di morfina da utilizzare nella titolazione farmacologia. I risultati di questi studi, inoltre, permettono di rendere l'utilizzo della morfina orale una pratica clinica semplice ed attuabile anche da parte di medici non specialisti.

La morfina orale è stata confrontata con quella rettale in uno studio randomizzato, cross over, doppio cieco, in pazienti opioid naive e pubblicato su *J Clinical Oncology 1995;13: 1004-8*

La morfina rettale, (non disponibile in Italia come formulazione commerciale e quindi preparata con la morfina in fiale, somministrata attraverso una siringa da insulina), ha dimostrato essere efficace e tollerabile ed indicata nel trattamento del dolore episodico intenso nei setting di cura, come quello domiciliare, in cui non sempre è presente il personale sanitario ( *Ripamonti C et al. Annals of Oncology 1995; 6: 841-3*).

La morfina è stata studiata anche per il trattamento di sintomi diversi dal dolore. In collaborazione con il gruppo canadese del Prof. Eduardo Bruera, la morfina parenterale è stata confrontata con placebo nel trattamento della dispnea di pazienti con cancro avanzato, dimostrandone l'efficacia sul sintomo e la tollerabilità ( *Annals of Internal Medicine 1993; 119: 906-7*)

Gli studi effettuati di farmacocinetica e di farmacodinamica e la loro capillare diffusione, attraverso Corsi, Convegni e pubblicazioni, hanno contribuito a modificare la cultura corrente, che prevedeva l'uso della morfina solo come analgesico specifico per i malati in fase terminale, nel timore di causare dipendenza e di accorciare loro la vita.

### **Studi sul Metadone**

Il metadone era sempre stato considerato il farmaco oppioide dei "tossicodipendenti"; per questo motivo l'utilizzo clinico- analgesico del farmaco nel dolore da cancro rendeva obbligatorio iscrivere il paziente nelle liste delle persone seguite dai SERT. Questo fatto comportava: una maggior, giustificata reticenza del paziente ad accettare la prescrizione del farmaco ed una maggior difficoltà, sino a rifiuto, anche da parte di medici specialisti, a prescrivere il metadone.

Dal 1983 questo farmaco è stato utilizzato e studiato nella pratica clinica, presso l'ambulatorio di terapia del dolore e cure palliative dell' INT.

Nel 1986 è stato effettuato il primo studio prospettico, randomizzato ( *Ventafredda V, Ripamonti C. J Pain Symptom Manage 1986; 1: 203-7*) di confronto tra efficacia e tollerabilità della morfina orale e del metadone orale in pazienti opioid naive. I risultati di questo studio hanno dimostrato che i due farmaci erano sovrapponibili per efficacia e tollerabilità, ma che il metadone aveva una potenza farmacologia almeno sette volte maggiore rispetto alla morfina.

In uno studio successivo il metadone ha mostrato avere uno scarso sviluppo di tolleranza e quindi particolarmente indicato nei pazienti che richiedono alti dosaggi di oppioidi ( *J Clinical Oncology 1996; 14: 2836-42*). Tale pubblicazione è stata selezionata per essere ristampata come "best of the JCO" nella pubblicazione *Classic Papers and Current Comments: Highlights of Supportive Care Research*.

Le sopracitate acquisizioni hanno aperto la strada a nuove ricerche ed a nuove, potenziali, applicazioni cliniche del metadone, nell'ambito del trattamento del dolore da cancro, come per esempio il suo utilizzo in alternativa alla morfina orale, o ad altri oppioidi, in pazienti con dolore e/o effetti collaterali non controllati ( *J Clinical Oncology 2001; 19: 2542-54; J Clinical Oncology 2001; 19/11: 2898-904*).

Per rendere attuabile questa pratica clinica, era indispensabile studiare le equipotenze tra diversi oppioidi e metadone.

Nel 1998 abbiamo pubblicato il primo studio prospettico di comparazione della dose equianalgesica tra morfina e metadone somministrati per via orale ( *Ripamonti C. et al. JCO 1998; 16:3216-21*), studio che ha indotto gli editori della rivista a richiedere un editoriale sulla nostra pubblicazione da parte di esperti internazionali.

Sempre nello stesso anno, abbiamo pubblicato, insieme al gruppo canadese del Prof. Eduardo Bruera, il primo studio prospettico di confronto della dose equianalgesica fra metadone ed altri oppioidi ( *Ripamonti C. et al. Annals of Oncology 1998; 9:79-83*).

In seguito alle nostre sollecitazioni, supportate dagli studi effettuati, nel 1992 il Consiglio Superiore di Sanità, ha iniziato a rispondere ai nostri appelli di riconsiderare il metadone orale come farmaco analgesico e renderlo reperibile direttamente presso le farmacie.

Per questo fatto, negli ultimi anni, l'indicazione all'uso del metadone come oppioide analgesico è stata estesa anche al dolore cronico non maligno.

Anche per il metadone si sta seguendo un iter formativo continuo degli operatori sanitari, compresi gli specialisti di terapia del dolore, che sta, lentamente, attuando un cambiamento culturale nel maggior utilizzo del farmaco nella pratica clinica.

### ***Studi sull' Octreotide***

I pazienti con occlusione intestinale inoperabile, oltre al dolore, presentano nausea e vomito, trattati abitualmente con il posizionamento del sondino naso-gastrico.

Tale metodica, di indubbia efficacia decompressiva, provoca, tuttavia, dolore e disagio al paziente, è fonte di diverse complicazioni e la sua manutenzione impegna risorse umane e richiede spesso l' ospedalizzazione.

Nel 2001 la partecipazione ad un gruppo di lavoro dell'Associazione Europea di Cure Palliative (EAPC), ha consentito di implementare le raccomandazioni clinico-pratiche circa il trattamento dell'Occlusione intestinale inoperabile nei pazienti con cancro avanzato (*Ripamonti C. et al. Supportive Care in Cancer 2001.*)

In particolare, in collaborazione con il gruppo del Prof. Mercadante, abbiamo messo a punto una terapia farmacologica con azione antisecretiva ed antiemetica, al fine di poter eliminare la nausea ed il vomito senza ricorrere al sondino naso-gastrico.

I farmaci confrontati sono stati l'octreotide ed il butilbromuro di scopolamina. I risultati sono stati inequivocabili, poiché nell'80% dei pazienti trattati con octreotide, è stato possibile rimuovere il sondino o non posizionarlo (*J. Pain and Symptom Manage 2000; Supportive Care in Cancer 2000*).

L'utilizzo del farmaco sta diventando pratica routinaria. Si sta organizzando un protocollo internazionale per il quale la candidata ha svolto un ruolo di consulente presso l'EMEA (Evaluation Medicine European Association) in collaborazione con l'FDA.

Grazie a questo approccio farmacologico, è possibile controllare i sintomi del paziente, mantenendolo al domicilio e senza ricorrere al posizionamento del sondino naso-gastrico.

### ***Studi sui Bisfosfonati (BPs)***

Presso il Day Hospital e l'Ambulatorio di terapia del dolore e cure palliative vengono inviati tutti i pazienti affetti da metastasi ossee da diversi tumori solidi, che afferiscono ai diversi reparti di Oncologia medica dell'INT per la somministrazione di bisfosfonati.

Questi farmaci, la cui indicazione principale è la riduzione delle complicanze scheletriche, del dolore e dell'ipercalemia, hanno cambiato la storia clinica dei pazienti con metastasi ossee. Tuttavia si è evidenziata una complicanza emergente, rappresentata dall'osteonecrosi della mandibola (ONJ), che deve essere ancora adeguatamente indagata e curata.

Poiché emerge che tale complicanza è correlata alle cure odontoiatriche traumatiche, durante il trattamento con BPs, abbiamo messo a punto un protocollo che valutasse il ruolo della prevenzione odontoiatrica sull'incidenza dell'ONJ.

Il primo lavoro, in assoluto, è stato pubblicato dalla candidata in collaborazione con gli odontoiatri dell'INT su *Annals of Oncology nel 2008* e riporta come dato inconfutabile la riduzione del 75% dell'ONJ a seguito della prevenzione odontoiatrica prima di iniziare la terapia con BPs.

E' in via di conclusione un secondo studio che ha l'obiettivo di valutare l'efficacia dell'ozono-terapia medicale in pazienti che hanno già sviluppato l'ONJ.

I dati, sui primi dieci pazienti studiati, dimostrano l'efficacia e la tollerabilità di tale approccio terapeutico.

Oltre agli studi finalizzati ad indagare l'epidemiologia e la cura dell'ONJ, è stato condotto uno studio specifico, per valutare il ruolo dei BPs (in particolare dell'acido zoledronico) nel trattamento del dolore da movimento (causa più frequente di dolore nei pazienti con metastasi ossee).

Lo studio ha evidenziato il rilevante ruolo terapeutico dell'acido zoledronico nella riduzione dell'intensità del dolore, non solo da fermo, ma anche in movimento (*Supportive Care in Cancer 2007*).

## **ATTIVITA' EDITORIALI**

De Conno F, Ripamonti C, Blumhuber H. Cure Palliative: manuale pratico. EAPC European Association for Palliative Care 1993

Ripamonti C. et al. Looking forward to cancer pain relief for all. International Consensus on the Management of cancer pain. WHO Collaborating Centre for Palliative Cancer Care, Oxford, UK. CBC Oxford 1997

Mercadante S, Ripamonti C. (Editori) Valutazione, diagnosi e trattamento del dolore da cancro. Masson 2000

Mercadante S, Ripamonti C. (Editori) Valutazione, diagnosi e trattamento del dolore da cancro.

Masson 2001, 2<sup>nd</sup> edizione corretta e aggiornata

Ripamonti C. IL DOLORE. Libretto informativo per i pazienti e le famiglie. 2001

Mercadante S, Ripamonti C. (Editori). Medicina e Cure Palliative in Oncologia. Aspetti clinici, organizzativi, assistenziali. Masson 2002 (Giugno)

Ripamonti C., Bruera E. (Editors). Gastrointestinal symptoms in advanced cancer patients. Oxford University Press. Oxford 2002 (Giugno).

Ripamonti C., Piva L. Dolore cronico oncologico e non oncologico. Il pensiero scientifico Editore 2004

Ripamonti C. Palliative Care. The solid facts. W.H.O. Europe 2004 (invited expert to comment on the booklet)

Ripamonti C. Better Palliative Care for Older People. W.H.O. Europe 2004 (invited expert to comment on the booklet)

Ripamonti C., Loprinzi CL, Strasser F. Clinical Problems in Oncology: Nutritional Challenger for patients with advanced cancer. Booklet with clinical cases presented at 41<sup>st</sup> ASCO Annual Meeting May 13-17, 2005 Orlando Florida

Ripamonti C., Cunningham JT, Krouse RS, Mercadante S. Clinical Problems in Oncology: Dilated loops of bowel:surgery, pharmacology and stents. Booklet with clinical cases presented at 42<sup>nd</sup> ASCO Annual Meeting June 2-6, 2006 Atlanta, Georgia

Bruera E, Higginson I, Ripamonti C., von Gunten C. Textbook of Palliative Medicine Hodder Arnold 2006

Bertoldo F, Ripamonti C., Del Mastro L. Gestione dei sintomi artromialgici indotti dagli inibitori dell'aromatasi. Therapy Perspectives Anno XIII, N. 14, ottobre 2010

Ripamonti C., Boldini S, Pessi MA. Ottimizzazione del trattamento dei pazienti con metastasi ossee 2011

Ripamonti C., Boldini S, Pessi MA. La salute delle ossa in oncologia: conoscere per proteggere. Opuscolo per i pazienti Associazione Paola 2011

Cherny N, Catane R, Chasen M, Grigorescu A-C, Hassan AA, Kloke M, Olver I, Ozyilkan O, Pohl G, Ripamonti C et al. A guide for patients with advanced cancer. Getting the most out of your oncologist. Edited by the Members of ESMO Palliative Care Working Group. ESMO press 2011 [www.esmo.org/patients/](http://www.esmo.org/patients/)

Cherny N, Catane R, Chasen M, Grigorescu A-C, Hassan AA, Kloke M, Olver I, Ozyilkan O, Pohl G, Ripamonti C et al. Una guida per i pazienti con cancro avanzato. Come ottenere il massimo dal vostro oncologo. Traduzione in lingua italiana di Ripamonti Carla e Ranghetti Lebrun Cristina. ESMO press 2012 [www.esmo.org/patients/](http://www.esmo.org/patients/)

## **CAPITOLI DI LIBRI NAZIONALI ED INTERNAZIONALI**

**1986**

Ventafridda V.,Ripamonti C., Lodi F., Saligari E., Panerai A.,Gallucci M., De Conno F.: Pain intensity: morphine and beta-endorphine plasma level during chronic administration of oral morphine.In: Advances in Pain Research and Therapy,Vol.8, K.M.Foley and C.E. Inturrisi (eds.),

pp.93-100,Raven Press,New York, New York, 1986.

Ventafridda V., Basso Ricci S., Corli O., De Benedittis G., De Conno F., Frova G., Panerai A., Ripamonti C., Tamburini M., Toscani F., Trodella L.: Protocollo di Terapia del Dolore FONCAM, giugno 1986.

### **1988**

Ripamonti C., De Conno F.: I sintomi nelle fasi terminali. In: Cure Palliative: approccio multidisciplinare alle malattie inguaribili. Di Mola G.ed, Masson Milano 1988.

Ripamonti C.:Ruolo del volontario nelle cure palliative del malato di cancro in fase avanzata assistito a domicilio. In La Formazione Del Volontariato In Oncologia LICT, Milano, p. 67-74, 1988.

### **1989**

Ripamonti C.,De Conno F., Ventafridda V. A new trend in oncology: Palliative care for terminal cancer patients.In: Advances in Clinical Oncology, Robustelli Della Cuna G. (ed.) 3:83-97, 1989

Amadori D., Ventafridda V., Ripamonti C., et al.Protocollo di Diagnosi, Trattamento, Riabilitazione e Cure Palliative. FONCAM 1989.

### **1990**

Panerai A.E., Sacerdote P., Bianchi M., Ripamonti C., Manfredi L., Tiengo and Mantegazza P. Neuropharmacological Approach to Nociception. Advances in Pain Research and Therapy Vol 13, pag.41-44, edited by S. Lipton et al. Raven Press, New York, 1990.

Ventafridda V., Ripamonti C., Sbanotto A., De Conno F.: Side effects and limits of long term oral morphine therapy. In: Treatment of chronic pain. Possibilities, Limitations and Long-Term follow-up. Harwood Academic Publishers, London Chapter 32, pp 256-269, 1990.

### **1991**

Piva L., Longhi C., Ripamonti C., De Conno F. Il controllo dei sintomi nei pazienti con cancro avanzato. Parte 1: problemi gastroenterici. In: Seminari sul dolore. M. Tiengo (ed). Vol.1 p. 33-51, 1991

### **1992**

Ripamonti C, Saita L. Terapia del dolore da cancro. In: Terapia Medica Oncologica. A. Santoro, G. Bonadonna (eds), cap. 8, 107-126, 1992.

Ripamonti C. Bowel Obstruction. Why do we care? Pain & Symptom Control, Psychiatric Issues & Ethical Dilemmas in the Care of Patients with Cancer. Syllabus of the Postgraduate Course p.295-314. European School of Oncology, Memorial Sloan-Kettering Cancer Center, New York 1992

### **1993**

Ventafridda V, Ripamonti C, Tamburini M. Outcome measurement-clinical perspective. Cancer Care in 1990's. Syllabus of the Postgraduate Course p. 95-100. Hawaii Conference, Supportive Care Issues 1993

Ripamonti C. Management of bowel obstruction in advanced and terminal cancer patients. Cancer Care in 1990's. Syllabus of the Postgraduate Course p. 223-233. Hawaii Conference, Supportive Care Issues 1993

Ripamonti C. Management of bowel obstruction in advanced and terminal cancer patients. Refresher Course Syllabus p.251-256. International Association for the study of pain (IASP). Parigi 1993 IASP Publication (Seattle).

Ventafridda V, Ripamonti C, Sbanotto A, De Conno F. Mouth Care. Oxford Textbook of Palliative Medicine. Edited by Derek Doyle, Geoffrey W.C. Hanks and Neil MacDonald. Oxford Medical Publications. Oxford University Press. Oxford 4.10 pag.434-447, 1993.

Ripamonti C. La cura dei sintomi. In: Corso di formazione del volontariato. Scuola di formazione del volontariato in oncologia. 1993: p. 103-111. Lega Italiana per la Lotta contro i Tumori. Milano

Bruera E, Ripamonti C. Adjuvants to opioid analgesics. In: Cancer Pain. Richard Patt (ed);J.B.Lippincott Company, Philadelphia,10:143-159, 1993.

Bruera E, Ripamonti C. Alternate routes of administration of opioids for the management of cancer pain. In: Cancer Pain. Richard B. Patt (ed); J.B. Lippincott Company, Philadelphia, 11: 161-184, 1993.

Ripamonti C., De Conno F, Ventafridda V. Le Cure Palliative e l'Assistenza alla malata in fase terminale in: I Tumori della mammella. Protocollo di Diagnosi, Trattamento, Riabilitazione. FONCAM 1993: p. 203-225.

#### **1994**

Ripamonti C., De Conno F.: Cura dei sintomi nelle fasi terminali. In: Cure Palliative: approccio multidisciplinare alle malattie inguaribili. Di Mola G.ed, Masson Milano (2° ed), 1994.

Ventafridda V., Ripamonti C., De Conno F. TERAPIE PALLIATIVE. In: Manuale di Senologia Oncologica (ed) U. Veronesi. Masson, Milano, 21: 443-457, 1994.

Ripamonti C., Sbanotto A. Le vie alternative di somministrazione degli oppioidi. In "Trattamento del dolore e dei sintomi nel cancro avanzato". Ed. Piccin cap 4 pag.59-71, 1994

Spoldi E, Ripamonti C, Mercadante S. Oppioidi per via spinale. In "Trattamento del dolore e dei sintomi nel cancro avanzato". Ed. Piccin cap.5, pag.73-90, 1994.

Saita L, Ripamonti C. La terapia del dolore. In: Cancro Polmonare, Malato e malattia. Clemente Franco (Ed), Centro Scientifico Editore cap. 20 pag. 321-352, 1994.

De Conno F., Ripamonti C.,Saita L., Zecca E. La terapia del dolore da cancro. In: Il dolore: percezione, cognizione, ed emozione; a cura di Mario Tiengo. Publiem edizioni, Feb. 1994: 83-92

#### **1995**

Ripamonti C. La cura dei sintomi. In: Corso di formazione del volontariato. Scuola di formazione del volontariato in oncologia. 1995 (3 edn): p. 100-108. Lega Italiana per la Lotta contro i Tumori. Milano

#### **1996**

Ripamonti C, Sbanotto A, De Conno F. Oral complications of advanced cancer. In: Cachexia-anorexia syndrome in advanced cancer. Eds Bruera E., Higginson I. Oxford University Press 1996

Ripamonti C, Gemlo B.T. Methods for artificial feeding and drainage of the gastrointestinal tract. In: Cachexia-anorexia syndrome in advanced cancer. Eds Bruera E., Higginson I. Oxford University Press 1996

## **1997**

Ripamonti C, Rodriguez C. Gastrointestinal motility disorders in patients with advanced Cancer. In: Topics in Palliative Care; Portenoy RK and Bruera E (eds). Vol 1: 61-93; 1997

## **1998**

Ripamonti C, De Conno F, Ventafridda C. Le Cure Palliative. In: I Tumori della mammella. Protocollo di Diagnosi, Trattamento-Riabilitazione. FONCAM Forza Operativa Nazionale sul Carcinoma Mammario. 1997: 209-223

Ventafridda V, Ripamonti C, Sbanotto A, De Conno F. Mouth Care. In: Oxford Textbook of Palliative Medicine; Doyle D, Hanks GWC, MacDonald N (eds). 2nd edition: 691-707; 1998

Bruera E, Ripamonti C. Dyspnea in patients with advanced cancer. In: Principles and Practice of Supportive Oncology. Berger A et al. (eds). Lippincott-Raven Publishers, Philadelphia 1998; 23: 295-308

Ripamonti C. Bowel obstruction. In: Principles and Practice of Supportive Oncology. Berger A et al. (eds). Lippincott-Raven Publishers, Philadelphia 1998; 14: 207-216

## **1999**

Ripamonti C. La cura dei sintomi. In: Corso di formazione del volontariato. Scuola di formazione del volontariato in oncologia. 1999: p. 108-116. Lega Italiana per la Lotta contro i Tumori. Milano

Ripamonti C. Il trattamento del dolore da cancro. Working expert group on guidelines for specific medical treatment in advanced cancer patients. Amadori D, De Conno F, Maltoni M (eds). UTET 1999: 218-224

Ripamonti C. I sintomi orofaringei. Working expert group on guidelines for specific medical treatment in advanced cancer patients. Amadori D, De Conno F, Maltoni M (eds). UTET 1999: 225-231

Ripamonti C. La disfagia. Working expert group on guidelines for specific medical treatment in advanced cancer patients. Amadori D, De Conno F, Maltoni M (eds). UTET 1999: 232-3

Ripamonti C. La dispnea Working expert group on guidelines for specific medical treatment in advanced cancer patients. Amadori D, De Conno F, Maltoni M (eds). UTET 1999: 234-41

Ripamonti C. L'ittero. Working expert group on guidelines for specific medical treatment in advanced cancer patients. Amadori D, De Conno F, Maltoni M (eds). UTET 1999: 249-51

Ripamonti C. Palliazione endoscopics dei tumori delle vie digestive. Working expert group on guidelines for specific medical treatment in advanced cancer patients. Amadori D, De Conno F, Maltoni M (eds). UTET 1999: 252-54

## **2000**

Ripamonti C. Farmacologia degli analgesici oppioidi. In Manuale di valutazione, diagnosi e trattamento del dolore da cancro. (Editori: Mercadante e Ripamonti). Masson

Fulfaro F, Ripamonti C. I bisfosfonati. In Manuale di valutazione, diagnosi e trattamento del dolore da cancro. (Editori: Mercadante e Ripamonti). Masson

Ripamonti C., Zecca E. Vie alternative di somministrazione degli analgesici oppioidi. In Manuale di valutazione, diagnosi e trattamento del dolore da cancro. (Editori: Mercadante e Ripamonti). Masson

Ripamonti C. La rotazione degli oppioidi. In Manuale di valutazione, diagnosi e trattamento del dolore da cancro. (Editori: Mercadante e Ripamonti). Masson

Ripamonti C., Bruera E. Patient controlled analgesia. In Manuale di valutazione, diagnosi e trattamento del dolore da cancro. (Editori: Mercadante e Ripamonti). Masson

Ripamonti C. Speaking in a particular way: individualizing communication for each patient. INTERNATIONAL PERSPECTIVES. In: Innovations in end-of-life care. Practical strategies & International Perspectives. Edited by Solomon MZ, Romer AL, Heller KS. Mary Ann Liebert, Inc Publisher 2000; 53-55

## **2001**

Ripamonti C, Biancofiore G. Terapia del dolore da cancro. In: Terapia Medica Oncologica 2001. (Santoro A et. al. Eds) cap 7 pag. 96-116, EdiSES 2001

## **2002**

Filiberti A, Ripamonti C. Cure palliative: aspetti psicosociali e clinici. In: PSICONCOLOGIA (Bellani M et al Eds). cap. 64: pag. 567- 576, Masson 2002

Bruera E, Sweeney C, Ripamonti C. Management of dyspnea. In: Principles & Practice of Palliative Care & Supportive Oncology. (Berger A, et al. Eds). 2<sup>nd</sup> edizione, cap 25; pag. 357-371, Lippincott Williams & Willins 2002

Ripamonti C, Bruera E. Dispnea. In: Medicina e cure palliative in oncologia. Aspetti clinici, assistenziali e organizzativi. (Mercadante S, Ripamonti C, Eds) cap 12 pag. 90-106 Masson 2002

Boffi R, Ripamonti C., Tosse, emottisi, broncospasmo. In: Medicina e cure palliative in oncologia. Aspetti clinici, assistenziali e organizzativi. (Mercadante S, Ripamonti C, Eds) cap 13 pag. 106-118 Masson 2002

Ripamonti C, Bruera E. Nausea cronica e vomito. In: Medicina e cure palliative in oncologia. Aspetti clinici, assistenziali e organizzativi. (Mercadante S, Ripamonti C, Eds) cap 20 pag. 178- 192 Masson 2002

Mercadante S, Ripamonti C. Stipsi. In: Medicina e cure palliative in oncologia. Aspetti clinici, assistenziali e organizzativi. (Mercadante S, Ripamonti C, Eds) cap 21 pag. 193-202 Masson 2002

Ripamonti C, Mercadante S. Occlusione intestinale. In: Medicina e cure palliative in oncologia. Aspetti clinici, assistenziali e organizzativi. (Mercadante S, Ripamonti C, Eds) cap 23 pag. 213- 225 Masson 2002

Fulfaro F, Ripamonti C . Fistole: dalla definizione alla terapia. In: Medicina e cure palliative in oncologia. Aspetti clinici, assistenziali e organizzativi. (Mercadante S, Ripamonti C, Eds) cap 24 pag. 226-234 Masson 2002

Zucali PA, Ripamonti C., Ipercalcemia e iposodiemia. In: Medicina e cure palliative in oncologia. Aspetti clinici, assistenziali e organizzativi. (Mercadante S, Ripamonti C, Eds) cap 33 pag. 322-335 Masson 2002

Ripamonti C, Bruera E. Chronic nausea and vomiting. In: Gastrointestinal symptoms in advanced cancer patients. (Ripamonti C, Bruera E Eds). cap 8 pag. 169-192, Oxford University Press 2002

Ripamonti C., Malignant bowel obstruction . In: Gastrointestinal symptoms in advanced cancer patients. (Ripamonti C, Bruera E Eds). cap 12 pag. 235-252, Oxford University Press 2002

Di Mola G, Ripamonti C. La medicina dei morenti. In: La Qualita' della morte. (Pinkus L, Filiberti A Eds) pag. 84-102, Angeli Editore 2002

### **2003**

Ripamonti C, Mercadante S. Terapia sintomatica. In: I tumori del tratto gastrointestinale. (Zaniboni A et al. Eds). Masson 2003; 13: 271-298

Ripamonti C. Bowel Obstruction. In: The Cambridge Handbook of advanced Cancer care. (Fisch M; Bruera E Eds). 59; 460-468, 2003

Ripamonti C, Pharmacology of opioid analgesia: clinical principles. CANCER PAIN. Assessment and Management. Bruera E and Portenoy R. (Eds) Cambridge University Press 2003; 8: 124-149

Ripamonti C, Di Stasi A. Oppioidi. In: Libro Italiano di cure palliative. Amadori D, De Conno F (Eds) pag. 53-72. Poletto Editore 2003

Monti M, Ripamonti C. Sintomi gastrointestinali: nausea e vomito, stipsi, occlusione intestinale. In: Libro Italiano di cure palliative. Amadori D, De Conno F (Eds) pag. 160-178 Poletto Editore 2003

### **2004**

Ripamonti C, Mercadante S. Pathophysiology and management of malignant intestinal obstruction. In: Oxford Textbook of Palliative Medicine 3<sup>rd</sup> edition. (Doyle D, et al. Eds). Oxford University Press 2004

De Conno F, Sbanotto A, Ripamonti C, Ventafridda V. Mouth care. In: Oxford Textbook of Palliative Medicine 3<sup>rd</sup> edition. (Doyle D, et al. Eds). Oxford University Press 2004

Ripamonti C. Gli aspetti spirituali del malato nei programmi di cure palliative: il contributo della ricerca. In: Cure Palliative in Medicina Generale. Cancian M e Lora Aprile P (eds). Pacini Editore Medicina 2004

Ripamonti C. Il metadone. In: Cure Palliative in Medicina Generale. Cancian M e Lora Aprile P (eds). Pacini Editore Medicina 2004

### **2005**

Ripamonti C, Fulfaro F. Mechanisms of pain associated with respiratory disease. Chapter 26, pages 413-425 Oxford Textbook: Supportive Care in respiratory disease. (Ahmedzai SH and Muers MF Eds) Oxford University Press 2005

Ripamonti C, Fulfaro F. Taste disturbance. Chapter 10 pages 115-124. In: Oral care in Advanced disease. (Davies A, Finlay I, Eds) Oxford University Press 2005

Ripamonti C. La cura dei sintomi. In: Manuale del Volontariato in Oncologia. Scuola di Formazione del Volontariato in Oncologia. Lega Italiana per la lotta contro i tumori. 2005: 94-105

### **2006**

Grosso M.I., Ripamonti C. La preghiera nella malattia: In: Enciclopedia della Preghiera. Libreria Editrice Vaticana 2007



Dalal S, Palat G, Bruera E, Sweeney C, Ripamonti C. Management of Dyspnea. Principles and practice of palliative care and supportive Oncology (Berger AM, Von Roenn JH, Shuster JL Eds) 3<sup>rd</sup> Edition 2006

Ripamonti C, Bianchi M. Alternative routes for systemic opioid delivery cap 47: 415-430. In: Textbook of Palliative Medicine. (Bruera E, Higginson IJ, Ripamonti C, von Gunten C Eds). Hodder Arnold London 2006

Ripamonti C. Bowel obstruction cap 63: 588-600. In: Textbook of Palliative Medicine. (Bruera E, Higginson IJ, Ripamonti C, von Gunten C Eds). Hodder Arnold London 2006

Fulfaro F, Ripamonti C. Fistulas cap 82: 780-786. In: Textbook of Palliative Medicine. (Bruera E, Higginson IJ, Ripamonti C, von Gunten C Eds). Hodder Arnold London 2006

Sykes N, Ripamonti C, Bruera E, Gordon D. Constipation, diarrhoea, and intestinal obstruction. ABC of Palliative Care 2<sup>o</sup> edition BMJ Books 2006; 8: 29-35 Edited by Marie Fallon and Geogrey Hanks

## **2007**

Ripamonti C. Palliative Medical Management of Malignant Bowel obstruction. Pages 560-565. In the 2007 Educational Book of the 43<sup>rd</sup> Annual Meeting of American Society of Clinical Oncology. Chicago June 1-5 2007

Fagnoni E, Campa T, Ripamonti C. Trattamento con ibandronato orale in paziente con tetraparesi spastica e metastasi ossee da carcinoma mammario. Ibandronato. Casi clinici nella malattia metastatici ossea. Elsevier Masson Aprile 2007

## **2008**

Ripamonti C, Campa T, Pigni A. Terapia di supporto: Trattamento farmacologico del dolore analgesico. In: Linee guida su carcinoma prostatico: diagnosi, stadiazione e terapia. Auro.it (Associazione Urologi Italiani) 2008; 6.4: 265-7

Ripamonti C, Fulfaro F. Taste disturbance. Chapter 22 . In: Oral complications of cancer and its treatment. (Davies A, Epstein J, Eds) Oxford University Press 2008 in press

## **2009**

Ripamonti C, Fagnoni E, Borreani C. Gli oppioidi nel dolore da cancro e la qualita' della vita. In: La dignita' oltre la cura. Dalla palliazione dei sintomi alla dignita' della persona. A cura di Gian Luigi Cetto 2009; 3: 38-48

Ripamonti C, Mercadante S. Pathophysiology and management of malignant intestinal obstruction. In: Oxford Textbook of Palliative Medicine 4<sup>th</sup> edition. (.....). Oxford University Press 2009

## **2010**

Ripamonti C, Bareggi C. Pharmacology of opioid analgesia: clinical principles. CANCER PAIN. Assessment and Management. Bruera E and Portenoy R. (Eds) Cambridge University Press 2010; 11: 195-229

Ripamonti C, La Verde N, Farina G, Garassino MC. Oral complications. In: Nutrition and the Cancer Patients. Del Fabbro E, Baracos V, et al (Eds) Oxford University Press 2010; 13: 133-148

Ripamonti C. Management of cancer pain. Treatment Strategies Oncology 2010  
[www.treatmentstrategies.co.uk/Oncology.html](http://www.treatmentstrategies.co.uk/Oncology.html)

**2011**

Correa R, Ripamonti CI, Dodge JE, Easson AM. Malignant bowel obstruction. In: Supportive Oncology. . Davis M et al. 30:326-341

**2013**

Ripamonti C, Gerders H, Easson AM. Bowel Obstruction. In: Principles and practice of Palliative Care and Supportive Oncology (Eds: Berger AM, Shuster JL, Von Roenn JH) 4° Ed. Lippincott Williams & wilkins 2013; 15: 193-209