

- 1) [Effects of the magnetic resonance field on breast tissue expanders.](#) Nava MB, Bertoldi S, Forti M, Catanuto G, Vergnaghi D, Altomare L, Tanzi MC, Farè S. *Aesthetic Plast Surg.* 2012 Aug;36(4):901-7. Epub 2012 Jun 3.
- 2) [A position statement on optimizing the role of oncoplastic breast surgery.](#) Andree C, Farhadi J, Goossens D, Masia J, Sarfati I, Germann G, Macmillan RD, Scheflan M, Van Not HP, Catanuto G, Nava MB. *Eplasty.* 2012;12:e40. Epub 2012 Aug 23
- 3) [Skin/nipple sparing mastectomies and implant-based breast reconstruction in patients with large and ptotic breast: oncological and reconstructive results.](#) Nava MB, Ottolenghi J, Pennati A, Spano A, Bruno N, Catanuto G, Boliglowa D, Visintini V, Santoro S, Folli S. *Breast.* 2012 Jun;21(3):267-71. doi: 10.1016/j.breast.2011.01.004. Epub 2011 Mar 23.
- 4) [The "rib-like" technique for surgical treatment of sternal tumors: lessons learned from 101 consecutive cases.](#) Girotti P, Leo F, Bravi F, Tavecchio L, Spano A, Cortinovis U, Nava M, Pastorino U. *Ann Thorac Surg.* 2011 Oct;92(4):1208-15; discussion 1215-6.
- 5) [Improved sub-areolar breast tissue removal in nipple-sparing mastectomy using hydrodissection.](#) Folli S, Curcio A, Buggi F, Mingoizzi M, Lelli D, Barbieri C, Asioli S, Nava MB, Falcini F. *Breast.* 2012 Apr;21(2):190-3. Epub 2011 Oct 2.
- 6) [Outcome of different timings of radiotherapy in implant-based breast reconstructions.](#) Nava MB, Pennati AE, Lozza L, Spano A, Zambetti M, Catanuto G. *Plast Reconstr Surg.* 2011 Aug;128(2):353-9.
- 7) Surface area measurement of the female breast: Phase I. Validation of a novel optical technique. (Catanuto G, Spano A, Pennati A, Nava MB.) *Plast Reconstr Surg.* 2009 Dec;124(6):2194; author reply 2194-5.
- 8) New technologies for the assessment of breast surgical outcomes. (Catanuto G, Patete P, Spano A, Pennati A, Baroni G, Nava MB.) *Aesthet Surg J.* 2009 Nov-Dec;29(6):505-8
- 9) Breast reconstructive surgery in DVD (M. Nava, A. Spano, A. Pennati, U. Cortinovis, J. Ottolenghi, E. Riggio, P. Cadenelli, A. Ticozzi). *PICCIN MULTIMEDIA* 2009.
- 10) Conservative Mastectomies. Surgical pathways and decision making (M. Nava, G. Catanuto, A. Pennati, G. Garganese, A. Spano) *Aesthetic Plast Surg.* 2009 Jul 9.
- 11) Experimental Methodology for Digital Breast Shape Analysis and Objective Surgical Outcome Evaluation (G. Catanuto, G. Gallo, G. M. Farinella, S. Spoto, G. Impoco, A. Pennati, A. Spano, E. Riggio, M. Nava). *Journal of Plastic, Reconstructive and Aesthetic Surgery*, (2008) 61, 314-318.
- 12) Curvature mapping and outcome evaluation in breast plastic and reconstructive surgery (G. M. Farinella, G. Catanuto, A. Spano, A. Pennati, S. Spoto, G. Gallo, M. Nava). *European Journal of Surgical Oncology.*
- 13) Skin-reducing mastectomy with breast reconstruction and sub-pectoral implants. Della Rovere GQ, Nava M, Bonomi R, Catanuto G, Benson JR. *J Plast Reconstr, Aesthet Surg.* 2008 Nov;61(11):1303-8. Epub 2007 Aug 10.

- 14) Breast Reconstruction Cohesive Gel Implants (M. Nava, A. Spano, A. Pennati, U. Cortinovis, S. Bonomi, P. Blondeel) Innovations in plastic surgery.
- 15) Extra-projected implants as an alternative surgical model for breast reconstruction. Implantation strategy and early results. (M. Nava, A. Spano, P. Cadenelli, A. Colombetti, A. Menozzi, A. Pennati, G. Catanuto) Breast. 2008 Aug;17(4):361-6. Epub 2008 May 16.
- 16) [Three-dimensional digital evaluation of breast symmetry after breast conservation therapy.](#) Catanuto G, Spano A, Pennati A, Nava M. J Am Coll Surg. 2009 Jan;2008(1):166.
- 17) [Reduction of capsular thickness around silicone breast implants by zafirlukast in rats.](#) Spano A, Palmieri B, Taidelli TP, Nava MB. Eur Surg Res. 2008;41(1):8-14.
- 18) [Maximizing the use of abdominoplasty incision in oncoplastic and aesthetic breast surgery: four transabdominal \(transumbilical-like\) augmentations.](#) Riggio E, Spano A, Ottolenghi J, Nava MB. Aesthetic Plast Surg. 2008 Jan;32(1):130-5.
- 19) [The zygomatic-orbital artery.](#) Riggio E. Plast Reconstr Surg. 2007 Oct;120(5):1432.
- 20) [Silicone barrier sheath as an "oncologic vallum" in two-stage reconstruction with expanders for large, recurrent, soft-tissue cancer.](#) Riggio E, Catanuto G, Nava MB. Plast Reconstr Surg. 2007 Jan;119(1):445-6.
- 21) Prevalence of rupture in inamed silicone breast implants. Hedén P, Nava MB, van Tetering JP, Magalon G, Fourie le R, Brenner RJ, Lindsey LE, Murphy DK, Walker PS. Plast Reconstr Surg. 2006 Aug;118(2):303-8; discussion 309-12.
- 22) [Skin-reducing mastectomy.](#) (M. Nava, U. Cortinovis, J. Ottolenghi, E. Riggio, A. Pennati, G. Catanuto, M. Greco , G. Querci Della Rovere) Plast Reconstr Surg. 2006 Sep ;118 (3):603-10 16932166.
- 23) [Huriez syndrome: association with squamous cell carcinoma and a surgical approach.](#) Riggio E, Spano A, Bonomi S, Nava M. Plast Reconstr Surg. 2005 Aug;116(2):689-91.
- 24) Wise pattern mastectomy with immediate breast reconstruction. Nava M, Catanuto G, Querci Della Rovere G. Breast. 2005 Aug;14(4):333; author reply 334.
- 25) [The forehead zygomatic-orbital artery-based island flap.](#) Riggio E, Spano A, Nava M. Plast Reconstr Surg. 2005 Jan;115(1):226-33.
- 26) Biocompatibility and tissue interactions of a new filler material for medical use. Zarini E, Supino R, Pratesi G, Laccabue D, Tortoreto M, Scanziani E, Ghisleni, G, Paltrinieri S, Tunesi G, Nava M. Plast Reconstr Surg. 2004 Sep 15;114(4):934-42.
- 27) [The hazards of contemporary paramedian forehead flap and neck dissection in smokers.](#) Riggio E. Plast Reconstr Surg. 2003 Jul;112(1):346-7.
- 28) [Experimental study of a sleeve microanastomotic technique.](#) Riggio E, Parafioriti A, Tomic O, Podrecca S, Nava M, Colombetti A. Ann Plast Surg. 1999 Dec;43(6):625-31.

29) [Focus on the breast fascial system: a new approach for inframammary fold reconstruction.](#)
Nava M, Quattrone P, Riggio E. Plast Reconstr Surg. 1998 Sep;102(4):1034-45.